

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF REGISTRATION

LABORATORY NAME AND ADDRESS

GROVE CITY CLOSE TO HOME
1350 STRINGTOWN ROAD
GROVE CITY, OH 43123

CLIA ID NUMBER

36D2339937

EFFECTIVE DATE

03/10/2026

LABORATORY DIRECTOR

DR. AMY PYLE-EILOLA

EXPIRATION DATE

03/09/2028

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



A handwritten signature in blue ink, appearing to read 'Gregg Brandush', is written over a faint, large watermark of the Department of Health and Human Services eagle.

Gregg Brandush, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

If this is a Certificate of Registration, it represents only the enrollment of the laboratory in the CLIA program and does not indicate a Federal certification of compliance with other CLIA requirements. The laboratory is permitted to begin testing upon receipt of this certificate, but is not determined to be in compliance until a survey is successfully completed.