Pharmacy Services

	COMPOUND EVALUATION FORM	
Compound Name: Metolazone 1mg	z/mL Container-closure s	ystem(s): Plastic Amber Bottle
Strength: 1mg/mL	Preservatives: Cont	ained in Ora-Blend
Dosage Form: Oral Suspension	Beyond Use Date (co aqueous)	ompound type): 60 days (preserved
Product Description: Opaque Susp	ension Storage: Refrigerate	e (preferred) or room temperature
Auxiliary Labels: Refrigerate, Shal	ke Well, Protect From Light	
Quality control procedures (ex: pH	test, etc.): none	
Ingredients:		
Metolazone 10mg tablets		
Ora-Blend (or 1:1 ratio of OraP	lus:OraSweet; or	
1:4 ratio of cherry syrup:simple	syrup)	
Instructions for preparation:	Calculations:	
1. Crush tablets in a mortar and	d triturate to a fine	
powder.		
2. Wet powder with a minimal		
and levigate to form a viscous, smooth and uniform paste.	out	
3. Add vehicle, geometrically, n	niving well ofter each	
addition.	inxing wen after each	
4. Transfer to a graduate.		
5. Rinse mortar with vehicle, ad	Iding rinse to	
graduate, until almost final volu		
6. QS to final volume with vehi		
Equipment/ Supplies:		
X Mortar and Pestle	X Stirring rod	□ Ointment slab
X Graduated cylinder(s)	□ Spatula	□ Balance
□ Weigh paper	X Amber plastic bottle	□ Ointment jar
N/ ~ .		

References:

X Counting tray

Allen LV, Erickson MA III. Stability of Ketoconazole, Metolazone, Metronidazole, Procainamide Hydrochloride, and Spironolactone in Extemporaneously Compounded Oral Liquids. Am J Health-Syst Pharm. 1996; 53: 2073-2088.

□ Funnel

□ Syringe

Revised: A Swick 10/2020



Nationwide Children's Hospital Disclaimer:

The information provided on this site is for educational and informational purposes and may not be relied upon to direct or provide care to a patient. This material is not intended as a substitute for consulting health care professionals. The health care professionals remain solely responsible to provide and direct patient care. The information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professional or pharmacist. Nationwide Children's Hospital assumes no liability for any injury and/or damage to persons from use of any information contained on this site.

Revised: A Swick 10/2020

